

References for Concurrent Training Series: Part I-III

1. Dolezal BA, Potteiger JA. Concurrent resistance and endurance training influence basal metabolic rate in nondieting individuals. *J Appl Physiol*. Aug 1998;85(2):695-700.
2. Glowacki SP, Martin SE, Maurer A, Baek W, Green JS, Crouse SF. Effects of resistance, endurance, and concurrent exercise on training outcomes in men. *Med Sci Sports Exerc*. Dec 2004;36(12):2119-2127.
3. Bell GJ, Syrotuik D, Martin TP, Burnham R, Quinney HA. Effect of concurrent strength and endurance training on skeletal muscle properties and hormone concentrations in humans. *Eur J Appl Physiol*. Mar 2000;81(5):418-427.
4. Kraemer WJ, Patton JF, Gordon SE, et al. Compatibility of high-intensity strength and endurance training on hormonal and skeletal muscle adaptations. *J Appl Physiol*. Mar 1995;78(3):976-989.
5. Sale DG, Jacobs I, MacDougall JD, Garner S. Comparison of two regimens of concurrent strength and endurance training. *Med Sci Sports Exerc*. Jun 1990;22(3):348-356.
6. Sale DG, MacDougall JD, Jacobs I, Garner S. Interaction between concurrent strength and endurance training. *J Appl Physiol*. Jan 1990;68(1):260-270.
7. Nelson AG, Arnall DA, Loy SF, Silvester LJ, Conlee RK. Consequences of combining strength and endurance training regimens. *Phys Ther*. May 1990;70(5):287-294.
8. McCarthy JP, Agre JC, Graf BK, Pozniak MA, Vailas AC. Compatibility of adaptive responses with combining strength and endurance training. *Med Sci Sports Exerc*. Mar 1995;27(3):429-436.
9. Hakkinen K, Alen M, Kraemer WJ, et al. Neuromuscular adaptations during concurrent strength and endurance training versus strength training. *Eur J Appl Physiol*. Mar 2003;89(1):42-52.
10. Dudley GA, Djamil R. Incompatibility of endurance- and strength-training modes of exercise. *J Appl Physiol*. Nov 1985;59(5):1446-1451.
11. Hakkinen A, Hannonen P, Nyman K, Lyyski T, Hakkinen K. Effects of concurrent strength and endurance training in women with early or longstanding rheumatoid arthritis: comparison with healthy subjects. *Arthritis Rheum*. Dec 15 2003;49(6):789-797.
12. Hickson RC. Interference of strength development by simultaneously training for strength and endurance. *Eur J Appl Physiol Occup Physiol*. 1980;45(2-3):255-263.
13. Abernethy PJ. Influence of Acute Endurance Activity on Isokinetic Strength. *Journal of Strength and Conditioning Research*. 1993;7(3):141-146.
14. Leveritt M, Abernethy P. Acute effects of high-intensity endurance exercise on subsequent resistance activity. *J Appl Physiol*. 1999;81(1):47-51.
15. Creer A, Gallagher P, Slivka D, Jemiolo B, Fink W, Trappe S. Influence of muscle glycogen availability on ERK1/2 and Akt signaling after resistance exercise in human skeletal muscle. *J Appl Physiol*. Sep 2005;99(3):950-956.
16. Rose AJ, Broholm C, Kiillerich K, et al. Exercise rapidly increases eukaryotic elongation factor 2 phosphorylation in skeletal muscle of men. *J Physiol*. Nov 15 2005;569(Pt 1):223-228.
17. Craig B, Lucas J, Pohlman R. Effects of running, weightlifting and a combination of both on growth hormone release. *J Appl Sport Sci Res*. 1991;5:198-203.
18. Koller A, Mair J, Schobersberger W, et al. Effects of prolonged strenuous endurance exercise on plasma myosin heavy chain fragments and other muscular proteins. Cycling vs running. *J Sports Med Phys Fitness*. Mar 1998;38(1):10-17.
19. Hunter G, Demment R, Miller D. Development of strength and maximum oxygen uptake during simultaneous training for strength and endurance. *J Sports Med Phys Fitness*. Sep 1987;27(3):269-275.

20. Hennessy L, Watson A. The interference effects of training for strength and endurance simultaneously. . *J Strength Cond Res.* 1994;12(8):9-12.
21. Byrnes WC, Clarkson PM, White JS, Hsieh SS, Frykman PN, Maughan RJ. Delayed onset muscle soreness following repeated bouts of downhill running. *J Appl Physiol.* Sep 1985;59(3):710-715.
22. Fry AC. The role of resistance exercise intensity on muscle fibre adaptations. *Sports Med.* 2004;34(10):663-679.
23. Kubukeli ZN, Noakes TD, Dennis SC. Training techniques to improve endurance exercise performances. *Sports Med.* 2002;32(8):489-509.
24. Laursen PB, Jenkins DG. The scientific basis for high-intensity interval training: optimising training programmes and maximising performance in highly trained endurance athletes. *Sports Med.* 2002;32(1):53-73.
25. Docherty D, Sporer B. A proposed model for examining the interference phenomenon between concurrent aerobic and strength training. *Sports Med.* Dec 2000;30(6):385-394.
26. Balabinis CP, Psarakis CH, Moukas M, Vassiliou MP, Behrakis PK. Early phase changes by concurrent endurance and strength training. *J Strength Cond Res.* May 2003;17(2):393-401.
27. Sporer BC, Wenger HA. Effects of aerobic exercise on strength performance following various periods of recovery. *J Strength Cond Res.* Nov 2003;17(4):638-644.
28. Leverrett M, Mackaughlin H, Abernethy PJ. Changes in leg strength 8 and 32 hours after endurance exercise. *J. . Sport Sci. .* 2000;18:865-871.
29. Widrick JJ, Costill DL, Fink WJ, Hickey MS, McConell GK, Tanaka H. Carbohydrate feedings and exercise performance: effect of initial muscle glycogen concentration. *J Appl Physiol.* Jun 1993;74(6):2998-3005.
30. Burd NA, Tang JE, Moore DR, Phillips SM. Exercise Training and Protein Metabolism: Influences of Contraction, Protein Intake, and Sex-based differences. *J Appl Physiol.* Nov 26 2008.